

Page **Code** Revision Validity 1 of 9 **FD-72-179i** 05 27/03/24

### **SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION**

Product name:

PAC 18 PRIII BM

**Product codes:** 

PAC 18 PRIII BM (bulk): 850002. PAC 18 PRIII BM (RIG 1 m<sup>3</sup>): 850003.

Company information:

Petroquímica Río Tercero SA. Ruta Panamericana - Ramal a Pilar - Km. 49,5. Edificio Bureau Pilar - Piso 3°.

(B1629GVP) Pilar - Buenos Aires - Argentina.

Tel.: (54) (11) 4006-7000. Fax: (54) (11) 4006-7026. E-mail: pr3@pr3.com.ar.

### **Emergency telephone numbers (24 hours):**

From República Argentina: 0-800-777-4773

(03571) 438444

For international calls: (54)(9)(3571) 581787

(54)(9)(11) 60527694

Centro Nacional de Intoxicaciones: 0-800-3330-160

Hospital Nacional A. Posadas: (011) 4669-9200 / 9300

## Recommendations and usage restrictions:

Usage recommendations: chemical synthesis, pH regulation, flocculation and coagulation for drinking and residual water treatment, chemical products for paper, textile and leather treatment industry, colorants, linings, cleaning and washing, laboratory.

Usage restrictions: There are not identified usage restrictions if the indications detailed in this Safety Data Sheet are followed.

## **SECTION 2 – HAZARDS IDENTIFICATION**

Hazard nature	Hazard type	Hazard category	Hazard subcategory
Physical	Explosives	Not classifiable	
	Flammable gases	Not classifiable	
	Chemically unstable gases	Not classifiable	
	Flammable aerosols	Not classifiable	
	Non flammable aerosols	Not classifiable	
	Oxidizing gases	Not classifiable	
	Pressure gases	Not classifiable	
	Flammable liquids	Not classifiable	
	Flammable solids	Not classifiable	



Page **Code** Revision Validity

2 of 9 **FD-72-179i** 05 27/03/24

Hazard nature	Hazard type	Hazard category	Hazard subcategory
Physical	Substances and mixtures that react spontaneously	Not classifiable	
	Pyrophoric liquids	Not classifiable	
	Pyrophoric solids	Not classifiable	
	Substances and mixtures that experience spontaneous heating	Not classifiable	
	Substances and mixtures that, in contact with water, detach flammable gases	Not classifiable	
	Oxidizing liquids	Not classifiable	
	Oxidizing solids	Not classifiable	
	Organic peroxides	Not classifiable	
	Substances and mixtures corrosive for metals	1	
	Acute toxicity. Orally or through ingestion.	Not classifiable	
	Acute toxicity. Through skin	Not classifiable	
	Acute toxicity for inhalation	Not classifiable	
	Corrosion / skin irritation	2	
	Severe eye damage / eye irritation	1	
	Breathing sensitivity	Not classifiable	
	Skin sensitivity	Not classifiable	
Health	Mutagenicity in germinal cells	Not classifiable	
	Carcinogenicity	Not classifiable	
	Toxicity for reproduction	Not classifiable	
	Systemic toxicity for target organs – unique exposure	Not classifiable	
	Systemic toxicity for target organs – repeated exposure	Not classifiable	
	Hazard for aspiration	Not classifiable	
Environment	Hazardous for the aquatic environment – Acute hazard	Not classifiable	
	Substances or mixtures for the aquatic environment – Chronic or long term hazard	Not classifiable	
	Substances or mixtures hazardous for the ozone layer	Not classifiable	

Another hazards: other hazards have not been identified.

### **Hazard indications**

H290 – can be corrosive for metals.

H318 – causes severe eye damage.

H315 – causes skin irritation.

### Warning advice

### Precaution

P234 - keep the original package only.



Page **Code** Revision Validity

3 of 9 **FD-72-179i** 05 27/03/24

P264 - wash yourself carefully after handling it.

P280 – wear gloves / protective clothing / eye and face protective equipment.

### Intervention

P390 – absorb the spill to avoid material damage.

P302 + P352 – if skin contact occurs, wash yourself with abundant soap and water.

P332 + P313 – in case of skin irritation, contact a doctor.

P362 + P364 – take the contaminated clothing off and wash it before using it again.

P305 + P351 + P338 – in case of eye contact, wash them thoroughly with water during some minutes. If using contact lenses, take them off if they can be easily removed. Go on washing them.

P310 - Immediately call a doctor.

### **Storage**

P405 – store it under lock and key.

P406 – store it in a container resistant to corrosion or with interior lining resistant to corrosion.

### **Disposal**

Not required.

### Pictograms.





GHS05

GHS07

Warning word: HAZARD / WARNING.

## **SECTION 3 – COMPONENTS/INFORMATION ON INGREDIENTS**

Name	CAS N°	Formula	Composition
Aluminium polychloride (PAC 18)	1327-41-9	Aln (OH)m Cl3n - m	34 % – 35 %
Water	7732-18-5	H <sub>2</sub> O	65 % – 66 %

### **SECTION 4 - FIRST-AID MEASURES**

**Inhalation.** Take the victims to an open air place and keep them in a comfortable breathing position. If they do not breath, apply artificial respiration to them. If you practice mouth to mouth respiration to them, use protection of the kind of the rescue people (pocket face mask, etc.). If breathing is problematic, apply oxygen with qualified personnel. Provide CPR (cardio-pulmonary resuscitation) if the victim does not breath or does not have pulse. Ask/Obtain immediate medical assistance.

**Skin contact.** Immediately wash the affected area with plenty of neutral soap and water during at least 15 / 20 minutes. Repeat washing if irritation persists. Take off contaminated clothing and shoes while washing. Seek immediate medical assistance. Wash contaminated clothing separately before using it again. Eliminate the articles that cannot be decontaminated.



Page **Code** Revision Validity

4 of 9 **FD-72-179i** 05 27/03/24

**Eye contact:** Immediately wash your eyes with plenty of water for at least 15 minutes. Lift and separate eyelids to ensure the product removal. Carefully take contact lenses off -unless they are sticked on your eyes- after the first 5 minutes, and go on washing them during at least other 15 minutes. Repeat washing if irritation persists. Seek immediate medical assistance.

**Ingestion.** Do not induce vomit. If the victim is conscious and not suffering convulsions, wash the mouth and give 1 or 2 glasses of water or milk. If a spontaneous vomit occurs, lean the victim forward with the head facing down to avoid vomit aspiration, wash the mouth and give more water. If the victim is unconscious or is suffering convulsions, lean the victim down and keep him/her warm, do not provide anything orally. Seek immediate medical assistance.

Notes to the Physician. No additional information.

**Recommendations for protecting first aid providers.** The rescue team must pay attention to their own protection and wear the recommended PPE (see Section 8 – Exposure controls and personal protection). If eyes and face are affected, treat eyes first.

### **SECTION 5 – FIRE-FIGHTING MEASURES**

Specific extinguishing means: Mist / atomized water or mist. Chemical powder extinguishers or CO2. Alcohol resistant foam.

**Specific hazards:** Gases and fumes release. Hydrogen chloride release due to heating over the decomposition temperature. Formation of explosive mixtures of hydrogen with air when the product is in contact with metals.

**Protection measures:** Evacuate and isolate the hazardous area. Eliminate the heating sources. Limit the access of unnecessary people and without the duly protection. Keep yourself at a counterwind direction. Keep yourself away from low areas where toxic gases or fumes can be accumulated. Fight fire from a protected place or from a safe distance. Consider using hoses or monitors handled by a remote control. Remove the container from the fire zone if it means performing a safe manoeuvre. Use pulverized water to cold containers exposed to fire, dilute the product and eliminate vapors, gases and fumes even after the fire has been extinguished. Do not introduce water in the containers. Consider that product containers may explode due to high temperatures. Avoid spilling the product, and contain the extinction water expansion through a container dike, avoiding its entrance to sewers, and superficial or underground courses of water (see Section 6 – Measures in case of accidental spills).

**Special protective equipment required for firemen:** Use positive pressure autonomous respiratory equipment and fire protection clothing (helmet, jacket, trousers, boots and gloves). Avoid contact with the product during the fire-fighting operations. The structural protective suit of firemen provides limited protection only in fire situations, and it is not effective in contact with the substance. If product contact is foreseeable, equip firefighters with chemical product resistant suits and with autonomous respiratory equipment. If you do not have fire fighters equipment available, equip fire fighters with chemical product resistant clothing and autonomous respiratory equipment, and fight fire from a remote place.

## **SECTION 6 - MEASURES IN CASE OF ACCIDENTAL SPILLS**

**Personal precautions, protective equipment and emergency procedure.** Evacuate and air the spill or leakage zone. Keep personnel away from low zones and in spill counterwind sense. Eliminate ignition sources. If it is possible, confine the spilled material and stop the leakage if it does not imply any risk for the personnel working. Do not touch the damaged containers and/or the spilled material unless you are wearing the appropriate protection. Use an appropriate safe equipment. See Section 8 - Exposition controls and personal protection. Do not introduce water in the containers.

**Environmental precautions.** Seal sewers and drains to avoid the entrance of the product to soils, trenches, drains, superficial and/or underground water. Avoid the spill extension with appropriate absorbent materials (soil, dry sand, vermiculite, diatomaceous soil or other absorbent non-combustible material. If product reaches public drains, and/or superficial/underground courses of water, inform the competent authorities about the situation.

**Methods and materials for contention and cleaning:** For small quantities, cover the spilled material with appropriate absorbent materials (soil, dry sand, vermiculite, diatomaceous soil or other absorbent non-combustible material), recollect it and put it in appropriate containers (see Section 7 – Handling and storage). Rinse the area with water and neutralize the washing water with alkaline material (sodium carbonate or hydroxide, calcium carbonate or hydroxide, etc.) Wash and decontaminate the used tools. Continue with the final disposal of the contaminated material and the neutralized washing water (see Section 13 – Final disposal considerations).



Page **Code** Revision Validity

5 of 9 **FD-72-179i** 05 27/03/24

For big quantities, build a contention dike with appropriate absorbent material, and transfer the spilled product to appropriate containers through pumping (see Section 7 – Handling and storage). Dilute the collected product with water and neutralize it with alkaline material (sodium carbonate or hydroxide, calcium carbonate or hydroxide, etc.). Recollect the contaminated soil and the absorbent material and put them in the appropriate containers. Verify that all the tools and equipment used are properly decontaminated after the intervention. Continue with the final disposal of the contaminated material and the diluted and neutralized product (see Section 13 – Final disposal considerations)

### **SECTION 7 – HANDLING AND STORAGE**

**Handling:** Organize the working place and method in a way to prevent or minimize the contact with the product. Before handling the product, be sure that the container material to be used is appropriate (see paragraph Storage in this section). Use decanting devices resistant to corrosion. Avoid generating dew and breathing vapors or mists with an appropriate airing. After handling it, wash it completely. Do not drink or smoke in the handling place. Have available and know the location of the emergency attention equipment (emergency showers and eyebaths). Keep the order and cleaning. Wear the appropriate protection equipment (see Section 8 - Exposure controls and personal protection).

**Storage:** Store it in fresh, dry and aired place, with impermeable floor. Avoid freezing the product and temperatures over 30°C. Avoid the exposition to the sun light and the contact with incompatible materials (bases and strong acids, aluminum, copper, iron, non-alloy steel and galvanized surfaces). Containers should be duly labeled and built with materials resistant to corrosion: vinyl polychloride (PVC), polypropylene (PP), polyethylene (PE), glass fiber reinforced polyester (GRFP), steel recovered with impermeable material (ebonite, PVC, PP, PE, GRFP or other appropriate material) and concrete coated with epoxy resin. If the warehouse is made of steel, paint the exterior with resistant painting such as epoxy to avoid corrosion due to vapors releases / splashes. Storage warehouses must have recollection facilities and spills conduits. Keep containers well closed when they are not used or empty, and protect them from damages (hits, falls, etc.).

### **SECTION 8 – EXPOSIRE CONTROLS / PERSONAL PROTECTION**

Control parameters (acceptable concentrations): CMP: 2 mg/m3 (soluble salts of Al as Al).

**Appropriate engineering controls:** Have appropriate airing systems available as near as possible of the generating point in working areas where there is potential substance dispersion. Have showers and eyebaths available.

**Respiratory protection:** If there are vapors / mist, wear face mask with appropriate filters for gases / vapors (B) and particles / aerosols (P2). For emergency situations, wear authorized autonomous equipment of positive pressure or autonomous respiratory equipment with air admission.

**Hands protection:** Wear protection gloves resistant to chemical products. Appropriate materials: natural rubber, neoprene or polyvinyl chloride (PVC).

Face/Eye protection: Safety eyewear with hermetic closing (goggles). Use face mask if projection or spraying risks exist.

**Body and skin protection:** To avoid skin contact, wear impermeable clothing chemically resistant including boots, coat, apron, trousers or over-all. Appropriate materials: natural rubber, neoprene, polythene, polyvinyl chloride (OVC), Viton (MR), Saranex (MR), 4H (MR) and answer (MR). Eyebaths and safe showers must be in an easily accessible place.

### **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

Physical state: liquid.

Color: amber.

Odor: slight, particular.

**pH:** 2,0-3,0.

Fusion / freezing point: <-15 °C.

Boiling point: 113-114 °C.



Page **Code** Revision Validity

6 of 9 **FD-72-179i** 05 27/03/24

Initial boiling point: 105 °C. Boiling interval: 105 – 120 °C.

Inflammation point: non-inflammable.

**Inflammability superior limits:** non-inflammable. **Inflammability inferior limits in air:** non-inflammable.

Vapor pressure: 2400 Pa (18 mm Hg). Vapor density (air = 1): not available.

**Density:** 1,36 – 1,38 Kg/dm3.

Relative density (water = 1): 1,36 - 1,38.

Solubility in water: soluble.

Participation coefficient in n-octanol/water (log Kow): not applicable.

**Auto-ignition temperature:** not inflammable. **Decomposition temperature:** > 200 °C.

Odor range: not available.

Evaporation speed: not available.

Dynamic viscosity: not available.

Kinematic viscosity: not available.

## **SECTION 10 – STABILITY AND REACTIVITY**

**Chemical stability:** stable in the recommended storage conditions (see Section 7- Handling and Storage). It decomposes for exposure to heating.

**Reactivity:** there are not reactivity associated hazards identified.

Possibility of hazardous reactions: there are not hazardous reactions identified.

Conditions to avoid: contact with heating and incompatible materials. Direct exposition to the sun light.

**Incompatible materials:** Bases and strong acids, aluminum, copper, iron, non-alloy steels and galvanized surfaces.

Hazardous decomposition products: hydrogen chloride release due to heating over the decomposition temperature.

### **SECTION 11 – TOXICOLOGIC INFORMATION**

#### Acute toxicity through oral way or ingestion

According to the available information, the classification criteria are not complied. Orally or ingestion: DL50 rats (male / female) > 2.000 mg/kg bw.

### Acute toxicity for inhalation

According to the available information, the classification criteria are not complied. Through inhalation: CL50 rats (male / female) 4 h > 5 mg/l (air).

### Acute toxicity through skin

According to the available information, the classification criteria are not complied.

Through skip: DI 50 rate (male / female) 24 hs > 2.000 mg/kg bw (aluminum chlorobydr

Through skin: DL50 rats (male / female) 24 hs. > 2.000 mg/kg bw (aluminum chlorohydrate).

#### Corrosion / skin irritation.

Corrosive for skin: category 2.



Page **Code** Revision Validity

7 of 9 **FD-72-179i** 05 27/03/24

### Severe eye damage / eye irritation.

It causes severe eye irritation: category 1.

### Breathing sensitivity.

According to the available information, the classification criteria are not complied.

### Skin sensitivity.

According to the available information, the classification criteria are not complied.

### Mutagenicity in germ cells.

According to the available information, the classification criteria are not complied.

### Carcinogenicity.

According to the available information, the classification criteria are not complied.

### Reproductive toxicity.

NOAEL: 90 mg Al / Kg corporal weight / day.

### Specific organs toxicity (simple exposition).

No information available.

### Specific organs toxicity (repeated exposition).

No information available.

### Aspiration hazard.

There is not aspiration risk based on the chemical structure.

### **SECTION 12 – ECOTOXICOLOGICAL INFORMATION**

### Ecotoxicity.

Acute toxicity in fishes (Pimephales promelas) CL50 (96 h): 609 mg/l. NOEC (96 h) < 156 mg/l.

Acute toxicity in aquatic invertebrates (Daphnia Magna) CE50 (48 h): 0,212 - 1,26 mg Al /l.

Acute toxicity in microorganisms (activated muds of domestic residual waters): CE50 (3 h): >100 mg/l.

Acute terrestrial toxicity: without information.

Chronic toxicity in fishes in an early life period (Pimpephales promelas): NOEC (7 days): 770,5 µg/l (fresh water).

Chronic toxicity in aquatic invertebrates (Ceriodaphnia dubia): NOEC (8 days): 3,5 mg/l.

### Persistence and degradability.

Not applicable (inorganic substance).

### Potential of bioaccumulation.

Non bioaccumulable substance.

### Mobility in soil.

No information available.



Page **Code** Revision Validity

8 of 9 **FD-72-179i** 05 27/03/24

### 13.-SECTION 13 - FINAL DISPOSAL CONSIDERATIONS

Treat contaminated water with alkaline material (sodium carbonate or hydroxide, calcium carbonate or hydroxide, etc.). Contaminated absorbents used containers and generated wastes / neutralization water will be disposed according to the applicable local norms.

### **SECTION 14 – TRANSPORTATION INFORMATION**

### Ground transportation (ADR/RID).

ONU Number: 3264.

Official transportation designation (ONU): UN 3264 corrosive liquid, acidic, inorganic, (NOS).

Type: 8.

Packing group: III. Label ADR / RID: 8. Hazard code: 80.

Environmental hazards: no. Exempt quantity: 100 kg.

### Sea transportation (IMDG/IMO).

ONU number: 3264.

Official transportation designation (ONU): UN 3264 corrosive liquid, acidic, inorganic (NOS).

Type: 8.

Packing group: III. IMDG Label: 8.

Environmental hazard: not a sea pollutant.

### Air transportation (IATA/ICAO).

ONU number: 3264.

Official transportation designation (ONU): UN 3264 corrosive liquid, acidic, inorganic (NOS).

Type: 8.

Packing group: III.

Environmental hazard: no.

Transport in bulk with arrangements of the annex II of the Marpol 73/78 Agreement and the IBC Code: not applicable.

### **SECTION 15 – REGULATORY INFORMATION**

Polyaluminum chloride is covered by the following regulations:

- Mercosur Agreement General Regulations for the Transport of Dangerous Goods. Resolution 64/2022, Secretary of Transportation.
- National Registry of Household Products, Resolution ex MSyAS 709/1998
- Argentine Food Code, Joint Resolution CAA 23/2021
- Requirements and Demands for Products for Domestic Use, ANMAT Provision 7292/1998

### **SECTION 16 – ADDITIONAL INFORMATION**

## NFPA Risk Classification.

Health: 1
Inflammability: 0
Reactivity: 1 (\*)
Special: --

(\*) Only if it heats.



Page **Code** Revision Validity

9 of 9 **FD-72-179i** 05 27/03/24

This Safety Data Sheet (the "Document", onwards) aims at communicating the information about the product security, effects on health and on the environment. All the information, data, exams and/or recommendations that this Document contains (the "information" onwards) are included as a guide and represent the best information now available in Petroquímica Río Tercero S.A. (PR3 onwards). However, PR3 does not guarantee nor affirm, explicitly or implicitly, the information accuracy, neither that this is the complete and full information about the product, and it is not obliged to update or complement the information.

The information included in this Document is not necessarily applicable when the Product is used as component or element of other product. The reception of this Document by the receptor and/or third party implies its notification and/or understanding of the Information included in this Document, and obliges him/her to:

- (i) comply with all the governmental requirements and regulations applicable to the Product or other related products, no matter which jurisdiction they belong to;
- (ii) make their own determination about the convenience of use of the Product in relation to their applications prior to its use for a proposed aim, and no matter what the nature of it is; and (iii) require prior opinion issued by a competent professional technician in order that he/she decides, recommends and expresses about the application of the information included in this Document to a particular situation.

Without prejudice to the conditions and methods of handling, storage, use and disposal of the Product by the receptor and/or third party, are not facts imputable to PR3, PR3 reserves the right to inspect and audit the facilities of the receptor to identify and audit the level of compliance with the norms of security, occupational health and environment in relation to the Product storage and operational conditions by the receptor/third party.

In particular, PR3 does not assume any responsibility, nor will be able to be judicially or extra judicially demanded, in a direct way or for solidarity, not even for repetition, for all those damages, prejudices, losses, hurts, costs and/or charges of any nature and origin derived or related, directly or indirectly, in any way with: (i) the use and implementation of the Information supplied by this Document; and/or the handling, storage, use, dosage and disposal of the Product, all accepted as own risk by the receptor and/or third party.

This Document does not work as the specifications sheet. Consequently, the Information does not must interpreted as an specification, nor does it form part of the terms and conditions of the sale and/or commercialization and/or business respect the Product and in virtue of which the current Document is extended.

This Document is extended in Spanish and can be translated into English for a best understanding of the receptor and/or third party. Nevertheless, in case this Document is extended in English, such translation and text cannot affect in any way the interpretation of the Information included here. For any doubt about the significance and/or interpretation of the content of this Document, the version extended in Spanish must be of prevalence.